

Use Directions

ATGARD Swine Wormer is designed to be administered in dry meal or crumble-type rations. The user should acquaint himself thoroughly with the contents of the package insert.

Pig Dosage Table

Pig Weight (lbs)	Number of Pigs/Package	Pounds Feed/Package	Pounds Feed/Pig
20-30	60	20	0.33
31-40	45	25	0.56
41-60	30	30	1.00
61-80	25	25	1.00
81-100	20	20	1.00
Adult Gilts, Sows, Boars	20	80	4.00

The preparation should be added to the indicated amount of feed and mixed thoroughly on a clean, impervious surface. Administer medicated feed shortly after mixing. Do not allow swine access to feed other than that containing the preparation until treatment is complete. Resume normal feeding schedule afterwards. Preconditioning or fasting pigs overnight is not necessary or recommended. Do not treat pigs with signs of scours until these signs subside or are alleviated by proper medication. Pigs of varying body weights should be regrouped into similar weight classes before treatment. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

Warning

Do not store unused packet(s) contents or medicated feed. Unused contents and feed containing ATGARD Swine Wormer should be buried 18 inches deep in the ground and covered in a manner rendering it unavailable to man, animals, or fowl. Avoid contact with the skin. Keep out of reach of children. Do not use in animals other than swine. Do not allow fowl access to feed containing this preparation or to manure from treated animals. ATGARD Swine Wormer (dichlorvos) is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. If human or animal poisoning should occur, immediately consult a physician or a veterinarian, respectively. Atropine is antidotal. ATGARD® is a Registered Trademark of Boehringer Ingelheim Vetmedica, Inc.

DOSAGE TABLE

Pig Weight (lbs.)	No. Pigs/ Packet	Pounds Feed/ Packet	Mg. Dichlorvos/ Lb. Body Weight
20-30	60	20	6.4-9.5
31-40	45	25	6.4-8.2
41-60	30	30	6.4-9.3
61-80	25	25	5.7-7.5
81-100	20	20	5.7-7.1
Adult Gilts, Sows, Boars	20	80	—

Boehringer Ingelheim Vetmedica, Inc.
2621 North Belt Highway • St. Joseph, MO 64506-2002
Information 800-325-9167 • Sales Service 800-325-9167 • Fax 816-236-2717
www.bi-vetmedica.com