

Ingelvac MycoFLEX[®]

Mycoplasma hyopneumoniae bacterin

Description

Ingelvac MycoFLEX[®] is a one-dose, 1 mL mycoplasma vaccine providing a flexible and novel approach to aid in the reduction of enzootic pneumonia caused by *Mycoplasma hyopneumoniae* when given to pigs 3 weeks of age or older.

Features

For pigs 3 weeks of age and older

Benefit

- Flexible vaccination scheduling, at conventional weaning age or older

Single, 1 mL dose

Benefits

- Less labor costs than with 2-dose vaccines
- Less stress on pigs
- PQA friendly

Low viscosity

Benefits

- Highly syringeable
- Easy administration

ImpranFLEX[™] adjuvant

Benefits

- Effective, non-tissue reactive aqueous-based (non-oil) polymer adjuvant
- Reduced stress on pigs compared to more reactive mycoplasma vaccines

26-week duration of immunity

Benefits

- Protection to market
- Convenient and flexible vaccination scheduling

Advantages

Boehringer Ingelheim pioneered one-dose mycoplasma vaccine technology. Ingelvac MycoFLEX utilizes the unique ImpranFLEX adjuvant system, an aqueous-based polymer that allows rapid onset of immunity as well as long duration of immunity.

Vaccine is “easy” on pigs and people.

Dosage & Administration

Shake well before use. Using aseptic technique, administer a single 1 mL dose by intramuscular injection.

Precautions

Store at 35-45° F (2-7° C).

Do not freeze. Use entire contents when first opened.

Uses

Recommended for the vaccination of healthy, susceptible swine 3 weeks of age or older as an aid in the reduction of enzootic pneumonia of swine caused by *Mycoplasma hyopneumoniae*.

Warning

Do not vaccinate within 21 days of slaughter. In case of anaphylactic reaction, epinephrine is antidotal treatment.

Product Information

Name	Code	Size
Ingelvac	127-331	50 dose
MycroFLEX [®]		50 mL
	127-341	100 dose
		100 mL
	127-351	250 dose
		250 mL
	127-361	500 dose
		500 mL

Highlights

- Highly syringeable
- At least 26 weeks duration of immunity
- Single 1 mL dose



Serial No.:
Exp. Date:

Indications: Recommended for the vaccination of healthy, susceptible swine 3 weeks of age or older as an aid in the reduction of enzootic pneumonia of swine caused by *Mycoplasma hyopneumoniae*.

Composition: Prepared from chemically inactivated cultures of *M. hyopneumoniae*, combined with an adjuvant to stimulate the immune response.

Directions and Dosage: Shake well before use. Using aseptic technique, inject a single 1 mL dose intramuscularly. The duration of immunity is at least 26 weeks. Semi-annual revaccination is recommended for breeding swine.

Precautions: Store at 35–45°F (2–7°C). Do not freeze. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Anaphylactoid reactions may occur. Antidote: Epinephrine.



**Mycoplasma
Hyopneumoniae
Bacterin**

**Ingelvac®
MycoFLEX™**

250 Doses/250 mL

Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, MO 64506
U.S. Veterinary License No. 124



**Boehringer
Ingelheim**

27303-00

Boehringer Ingelheim Vetmedica, Inc.

2621 North Belt Highway • St. Joseph, MO 64506-2002

Information 800-325-9167 • Sales Service 800-325-9167 • Fax 816-236-2717

www.bi-vetmedica.com