

Serial No.:
Exp. Date:

Indications: Recommended for the vaccination of healthy, susceptible swine 3 weeks of age or older as an aid in the reduction of enzootic pneumonia of swine caused by *Mycoplasma hyopneumoniae*.

Composition: Prepared from chemically inactivated cultures of *M. hyopneumoniae*, combined with an adjuvant to stimulate the immune response.

Directions and Dosage: Shake well before use. Using aseptic technique, inject a single 1 mL dose intramuscularly. The duration of immunity is at least 26 weeks. Semi-annual revaccination is recommended for breeding swine.

Precautions: Store at 35–45°F (2–7°C). Do not freeze. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Anaphylactoid reactions may occur. Antidote: Epinephrine.



**Mycoplasma
Hyopneumoniae
Bacterin**

**Ingelvac®
MycoFLEX™**

250 Doses/250 mL

Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, MO 64506
U.S. Veterinary License No. 124



**Boehringer
Ingelheim**

27303-00

Boehringer Ingelheim Vetmedica, Inc.
2621 North Belt Highway • St. Joseph, MO 64506-2002
Information 800-325-9167 • Sales Service 800-325-9167 • Fax 816-236-2717
www.bi-vetmedica.com