



## MATERIAL SAFETY DATA SHEET

### 1 PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Express® FP 10-HS  
**Product No. :** Not applicable  
**MSDS ID# :** Not applicable  
**GHS Product Identifier:** Not applicable

**Synonyms:**

Molecular Formula: Mixture, not applicable  
 Molecular Weight: Not applicable  
 CAS Number: Mixture, not applicable  
 Chemical Family: Vaccine

**Manufacturer:**

Boehringer Ingelheim Vetmedica, Inc.  
 2621 North Belt Hwy  
 St. Joseph, MO 64506-2002

**Emergency Telephone:**

Transportation Emergency: (800) 424-9300

Medical Emergency (24HR): (866) 638-2226

**Intended Use:** For the vaccination of healthy, susceptible cows and replacement heifers prior to breeding to prevent persistently infected calves caused by Bovine Virus Diarrhea Types 1 and 2. For vaccination of healthy, susceptible cattle as an aid in the reduction of respiratory diseases caused by Infectious Bovine Rhinotracheitis (IBR) virus, Bovine Virus Diarrhea (BVD) Types 1 and 2, Parainfluenza<sub>3</sub> (PI<sub>3</sub>) virus, Bovine Respiratory Syncytial Virus (BRSV), and leptospirosis caused by *Leptospira canicola*, *L. grippotyphosa*, *L. hardjo*, *L. icterohaemorrhagiae*, and *L. pomona*, and as an aid in the prevention of disease caused by *Haemophilus somnus*.

Non-emergency Telephone: (800) 821-7467

### 2 HAZARDS IDENTIFICATION

**Emergency Overview**

**Physical State:** Lyophilized modified live virus is supplied in a glass vial and a solution of inactivated bacterin is supplied in a high density plastic bottle.

**Color:** White opaque

**Odor:** No data available

**WARNING!****For use in cattle only.****Not for human use.****Allergic reactions can occur.****Precautionary Statements:**

Accidental human injection can cause serious local reactions or anaphylactic reaction and systemic effects.

Keep only in original container.

Keep at a temperature between 2 - 7° C.

Store out of direct sunlight.

Fire-fighting: Use foam, carbon dioxide, dry powder and water fog or material appropriate for surrounding fire.

Avoid contact with eyes, skin and clothing.

Wash thoroughly with soap and water after handling.

Wear suitable gloves and eye/face protection.

Spills: Cover with absorbent or contain. Collect and incinerate.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed, seek medical advice immediately and show this container or label.

This material and its container must be disposed of in a safe way.

Keep out of reach of children.

Keep away from food, drink, and animal feedstuffs.

**Description:**

For the vaccination of healthy, susceptible cows and replacement heifers prior to breeding to prevent persistently infected calves caused by Bovine Virus Diarrhea Types 1 and 2. For vaccination of healthy, susceptible cattle as an aid in the reduction of respiratory diseases caused by Infectious Bovine Rhinotracheitis (IBR) virus, Bovine Virus Diarrhea (BVD) Types 1 and 2, Parainfluenza<sub>3</sub> (PI<sub>3</sub>) virus, Bovine Respiratory Syncytial Virus (BRSV), and leptospirosis caused by *Leptospira canicola*, *L. grippotyphosa*, *L. hardjo*, *L. icterohaemorrhagiae*, and *L. pomona*, and as an aid in the prevention of disease caused by *Haemophilus somnus*.

Vaccine is to be given 2 mL subcutaneously using aseptic technique. If initial vaccination, repeat with BRSV, *H. somnus* and *Leptospira* vaccines in 14-28 days. Calves vaccinated before 6 months of age should be revaccinated at 6 months. A 2mL booster is recommended once annually. **Cows and heifers:** Using aseptic technique, annually inject a single 2 mL dose subcutaneously at or about 4 weeks prior to breeding. If initial vaccination, see above.

**Acute effect:** Rarely, severe allergic reactions may occur that require immediate veterinary care.

Antidote: Epinephrine.

**Precautions/Contraindications:** Do not vaccinate within 21 days before slaughter. Stressed cattle should not be vaccinated. BVD vaccine is contraindicated in persistently infected cattle and use should be limited only to healthy immunocompetent, unstressed cattle.

**Overdosage:** None known.

**ADVERSE REACTIONS TO PRODUCT:** Anaphylactoid reactions may occur but are rare.

### **Potential Health Effects**

**Inhalation:** Not expected to be an inhalation hazard with prescribed use.

**Eye Contact:** Not expected to be a hazard to the eye with prescribed use. Exposure to liquid in eye may cause mild transient eye irritation.

**Skin Contact:** Not expected to be a hazard to the skin. Can cause hypersensitive reactions. May cause skin sensitization by contact.

**Ingestion:** Not expected to be an ingestion hazard with prescribed use. Ingestion may cause nausea and systemic effects.

**Injection:** Swelling at injection site may occur.

**Chronic Health Effects:** Possible hypersensitization (development of abnormal sensitivity).

**Target Organ(s):** Gastrointestinal System, Reproductive System, Respiratory System

**Potential Physical Effects:** Can cause skin sensitization.

**OSHA Regulatory Status:** Nonhazardous, exempt

**Environment:** No data available

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	EC No.	CAS- No.	Concentration	Classification	Notes
Bovine Rhinotracheitis Virus (modified live)	----	----	proprietary	----	---
Bovine Virus Diarrhea – Type 1 and 2 (modified live)	----	----	proprietary	----	---
Bovine Respiratory Syncytial Virus (modified live)	----	----	proprietary	----	---
Parainfluenza Type 3 (modified live)	----	----	proprietary	----	---
Leptospira canicola (inactivated bacterin)	----	----	proprietary	----	---
Leptospira grippotyphosa (inactivated bacterin)	----	----	proprietary	----	---

Leptospira hardjo (inactivated bacterin)	----	----	proprietary	----	---
Leptospira icterohaemorrhagiae (inactivated bacterin)	----	----	proprietary	----	---
Leptospira pomona (inactivated bacterin)	----	----	proprietary	----	---
Haemophilus somnus (inactivated bacterin)	----	----	proprietary	----	---
Neomycin sulfate	2157731	1405-10-3	proprietary	----	*
Formaldehyde	2000018	50-00-0	≤ 0.74 g/L	T; C; C3 R23/24/25/ R34 R40 R43	*

The full texts for all R-Phrases are displayed in Section 16, if applicable.

\* Neomycin sulfate is used as preservative.

\* Used to inactivate virus and subsequently removed from solution. Concentration represents maximum remaining amount by percent weight which is below USDA allowable limits.

#### 4 FIRST AID MEASURES

**General: Animals or persons developing anaphylactic (life-threatening) reactions, such as difficulty in breathing or unconsciousness, must receive immediate medical attention.**

**Inhalation:** Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

**Eye Contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation or rash occurs, seek medical advice. Wash contaminated clothing before reuse.

**Ingestion:** Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

**Injection:** In case of accidental injection, wash the site thoroughly. Contact a physician immediately.

**Note to Physician:** For use in cattle only.

**Antidote:** Epinephrine is indicated for anaphylactoid reactions.

#### 5 FIRE-FIGHTING MEASURES

**Extinguishing Media:** Extinguish with foam, carbon dioxide, dry powder and water fog or material appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** None known

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing.

**Unusual Fire & Explosion Hazards:** None known

**Hazardous Combustion Products:** Carbon monoxide, carbon dioxide

**Flammability Class:** 0

## 6 ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate personal protective equipment (See Section 8).

**Spill Cleanup Methods:** Small liquid spill: Use a non-combustible material like vermiculite, earth or sand to soak up the product and place into container for later disposal. Incinerate. For large liquid spill: Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Incinerate.

**Environmental Precautions:** Prevent runoff from entering drains, sewers or streams. Dike for later disposal.

## 7 HANDLING AND STORAGE

**Handling:** Avoid contact with eyes, skin and clothing. Avoid accidental injection. Wash thoroughly with soap and water after handling. Use only with adequate ventilation.

**Storage:** Store at 2°-7° C (35°-45° F). Do not freeze. Store out of direct sunlight to protect product integrity. Shake well before using. Use entire contents when first opened.

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

**For Industrial Exposures:**

**Exposure Limits:**

Formaldehyde	ACGIH	8-HR TWA	0.3 ppm	Irritation, cancer
Formaldehyde	OSHA	Action Level	0.5 ppm	Cancer-suspect agent
Formaldehyde	Austria	TWA	0.5 mg/m <sup>3</sup>	Justifiably suspected of carcinogenic potential. Skin absorption. Sensitizer
Formaldehyde	Alberta	8-HR TWA	0.92 mg/m <sup>3</sup>	Irritation
Formaldehyde	British Columbia	8-HR TWA	0.3 ppm	Capable of causing respiratory, dermal or conjunctival sensitization.
Formaldehyde	Ontario	8-HR TWA	1.5 mg/m <sup>3</sup>	----
Formaldehyde	Quebec	Ceiling	3 mg/m <sup>3</sup>	----

		Exposure Value		
Formaldehyde	Belgium	15-minute STEL	0.38 mg/m <sup>3</sup>	Irritant
Formaldehyde	Denmark	Ceiling	0.4 mg/m <sup>3</sup>	----
Formaldehyde	Finland	8-HR Limit	0.37 mg/m <sup>3</sup>	----
Formaldehyde	France	Short Term Limit	1 ppm	----
Formaldehyde	Germany	8-HR TWA	0.37 mg/m <sup>3</sup>	
Formaldehyde	Greece	8-HR TWA	0.25 mg/m <sup>3</sup>	----
Formaldehyde	Iceland	8-HR TWA	0.4 mg/ m <sup>3</sup>	Allergenic substance
Formaldehyde	Ireland	8-HR TWA	2.5 mg/m <sup>3</sup>	----
Formaldehyde	Italy	Ceiling limit	0.3 ppm	---
Formaldehyde	Netherlands	MAC TWA	1.5 mg/m <sup>3</sup>	----
Formaldehyde	Norway	TLV	0.6 mg/m <sup>3</sup>	Allergenic substance
Formaldehyde	Portugal	Ceiling Exposure limit	0.3 ppm	Sensitizer, suspected human carcinogen
Formaldehyde	Spain	15-minute STEL	0.37 mg/m <sup>3</sup>	Sensitizer
Formaldehyde	Sweden	Level Limit Value (NGV)	0.6 mg/m <sup>3</sup>	----
Formaldehyde	Switzerland	TWA	0.37 mg/m <sup>3</sup>	Sensitizing substance
Formaldehyde	United Kingdom	TWA	2.5 mg/m <sup>3</sup>	----

**Engineering Controls:** Not generally required when handling vials or containers. Good ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Respiratory Protection:** Not generally required when handling vials or containers. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA standard 63 FR 1152, January 8, 1998. Respirator type: NIOSH approved organic vapor respirator.

**Europe: Wear appropriate personal protective equipment according to the Council Directive 89/686/EEC (4) and the appropriate CEN standards.**

**PERSONAL PROTECTIVE EQUIPMENT:** Not generally required when handling containers. If containers are compromised or exposure to the active ingredient or mixture is likely wear:

**Eye Protection:** Wear safety glasses with side shields (or goggles).

**Hand Protection:** Wear suitable gloves.

**Skin Protection:** Wear protective clothing appropriate for the risk of exposure.

**Hygiene Measures:** Eye bath, washing facilities, shower

## 9 PHYSICAL AND CHEMICAL PROPERTIES

**Color:** White opaque

**Odor:** No data available

**Odor Threshold:** No data available

**Physical State:** Lyophilized modified live virus is supplied in a glass vial and a solution of inactivated bacterin is supplied in a high density plastic bottle.

**pH:** No data available

**Melting Point:** No data available

**Freezing Point:** No data available

**Boiling Point:** No data available

**Flash Point:** No data available

**Flammability Limit – Upper (%):** No data available

**Flammability Limit – Lower (%):** No data available

**Evaporation rate:** No data available

**Vapor Pressure:** No data available

**Vapor Density (Air=1):** No data available

**Specific Gravity:** No data available

**Solubility:** No data available

**Partition Coefficient (n-Octanol/water):** No data available

**Autoignition Temperature:** Not applicable

**Decomposition Temperature:** No data available

## 10 STABILITY AND REACTIVITY

**Stability:** Stable

**Conditions to Avoid:** Temperatures below 2° C (35° F), direct sunlight

**Incompatible Materials:** Strong oxidizing agents

**Hazardous Decomposition Products:** None known

**Possibility of Hazardous Reactions:** Will not occur.

## 11 TOXICOLOGICAL INFORMATION

**Specified Substances****Acute Toxicity:**

Neomycin	Skin Sensitization TCL <sub>o</sub> (humans) : 20 pph : dermatitis, allergic Oral LD <sub>50</sub> (rat): 2750 mg/kg
----------	---

**Listed Carcinogens:** None**12 ECOLOGICAL INFORMATION****Ecotoxicity:** No data available**Persistence and degradability:** No data available**Mobility in soil:** No data available**Other adverse effects:** No data available**Germany WGK:** Not applicable**13 DISPOSAL CONSIDERATIONS****General Information:** Dispose of in accordance with local, state, federal, national or international regulations.**Disposal Methods:** Incinerate containers and unused contents. Do not empty into drains; dispose of this material and its container in a safe way. Do not contaminate water, food, or feed by disposal.**RCRA Information:** Not applicable**14 TRANSPORT INFORMATION****DOT:** Not regulated**TDG:** Not regulated**ADR/RID:** Not regulated**IATA:** Not regulated**IMDG:** Not regulated**15 REGULATORY INFORMATION****Canadian Controlled Products Regulations:** This product has been classified according to the hazard criteria of the Canadian Controlled Products Regulations, Section 33, and the MSDS contains all required information.**WHMIS Classification:** Noncontrolled, exempt**Inventory Status**



This material is **not** listed on the following inventories: TSCA, DSL, AICS, EINECS, IECSC, ENCS, PICCS, KECI, and NZIoC. Therefore, it can only be used for TSCA exempt purposes such as R&D or veterinary use. In the United States, this product is regulated by the USDA Animal and Plant Health Inspection Service (APHIS).

**Canada CEPA Schedule 1 - Formaldehyde**

**US Regulations**

**CERCLA Hazardous Substance List (40 CFR 302.4):** None

**SARA Title III**

**Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):** None

**Section 311/312 (40 CFR 370):** None

**Section 313 Toxic Release Inventory (40 CFR 372):** None

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):** None

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):** None

**State Regulations**

**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):**

Formaldehyde (gas)

**Massachusetts Right-To-Know List:** Formaldehyde

**Minnesota Hazardous Substances List:** None

**New Jersey Right-To-Know List:** None

**Pennsylvania Right-To-Know List:** Formaldehyde

**Rhode Island Right-To-Know List:** Formaldehyde

**European Regulations**

**Austria MAK List (Annex I):** Formaldehyde

**Denmark (Annex 3.6, April 2005):** Formaldehyde

**Germany (Dangerous Substances Ordinance 2004, Annex III):** None

**Norway (List of Dangerous Substance):** None

**Sweden (Sensitizers- Annex 3):** Formaldehyde

**Switzerland (Toxins List 1):** Formaldehyde

<b>16</b>	<b>OTHER INFORMATION</b>
-----------	--------------------------

**Hazard Ratings**

	<b>Health Hazard</b>	<b>Fire Hazard</b>	<b>Reactivity Hazard</b>
<b>HMIS</b>	1	0	0

	<b>Health Hazard</b>	<b>Fire Hazard</b>	<b>Reactivity Hazard</b>	<b>Special Hazard</b>
<b>NFPA</b>	1	0	0	N/A

\*- Chronic health effect; 0 – Minimal; 1 – Slight; 2 – Moderate; 3 – Serious; 4 – Severe

**R and S Phrase Definitions**

T – Toxic

C – Corrosive

C3 – Carcinogen category 3

R23/24/25 – Harmful by inhalation, in contact with skin and if swallowed.

R40 – Limited evidence of a carcinogenic effect.

R43 – May cause sensitization by skin contact.

S(1/2) – Keep locked up and out of reach of children.

S24 – Avoid contact with skin.

S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 – Wear suitable protective clothing, gloves and eye/face protection.

S45 – In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S51 – Use only in well-ventilated areas.

**ABBREVIATIONS:**

BIV - Boehringer Ingelheim Vetmedica, Inc.

N/A - Not applicable

N/E - Not established

pph – parts per hour

**References:**

1. Ariel WebInsight Regulatory Database. Regulatory Summary for North America, Western Europe, and Global Inventories Database.
2. GHS Manual
3. RTECS – Neomycin, QP3850000, Review Date, RTECS No. 200608
4. Express® FP 10 HS Label

**Prepared by:** Boehringer Ingelheim Vetmedica, Inc.**Issue Date:** 02/09/2009**Revision Information:** New MSDS

**Disclaimer:** The information provided herein is offered by Boehringer Ingelheim Vetmedica, Inc. (“BIV”) in good faith as accurate as of the date hereof, but without guarantee. This information includes information which has been generated by other parties and provided to BIV, and which BIV has not independently verified. The information provided herein relates only to the specific product designated, and may not be valid where such product is used in combination with any other materials or in any process. The information provided herein is offered solely for your consideration, investigation and verification, and Boehringer Ingelheim Vetmedica, Inc. (“BIV”) expressly disclaims all liability for reliance thereon. BIV EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE (INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. In addition, since the conditions of use and suitability of the product for particular uses are beyond BIV’s control, ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER, AND BIV EXPRESSLY DISCLAIMS ANY AND ALL LIABILITY AS TO ANY RESULTS OBTAINED OR ARISING FROM ANY USE OF THE PRODUCT. Use or transmission of the information contained herein in any other format than the format as presented is strictly prohibited. Nothing herein shall be construed as permission or recommendation for the use of the product in a manner that might infringe an existing patent. BIV neither represents nor warrants that the format, content

or product formulas contained in this document comply with the laws of any other country except the United States of America.

© Copyright 2001 Boehringer Ingelheim Vetmedica, Inc. All rights reserved.