

Boehringer
Ingelheim

Revision 4
Operator hal
Date 26Feb13
Art # 159401-01
Item # 559402
Product Pyramid 3 + Presponse SQ

Type/Size Carton / 10 Doses
Template # 841
Dimensions 3" x 1-9/16" x 2-7/8"
PDF 27Feb13 hal
Rev Level 01
Master

BLACK

BLACK - 70%

PMS 107

PMS 227

VARNISH

DIELINE: M091002M_B

10-107651

Serial No.:
N° de lote:
Exp. Date:
Fecha de venc.:

10 Doses / Rehidrate to 20 mL

PYRAMID® 3 + Presponse® SQ

Vacuna contra la
Rinotraqueítis-Diarrhea
Viral, Virus Vivo Modificado
Toxoide de Mannheimia
Haemolytica

PYRAMID® 3 +
Presponse® SQ

Uso Veterinario
10 Dosis / Rehidratar a 20 mL

PYRAMID® 3 + Presponse® SQ

Boehringer
Ingelheim

Este caja contiene un frasco de 10 dosis de vacuna MLV y un frasco de 20 mL de diluyente.
Indicaciones: Para la vacunación de ganado bovino lechero o de abasto sano como ayuda en la prevención de las enfermedades causadas por el virus de la rinotraqueítis infecciosa bovina, la diarrea viral bovina (tipos 1 y 2) y como ayuda en la reducción de la severidad de la pasteurellosis neumónica causada por *Mannheimia haemolytica*. Este producto ayuda en la prevención de las infecciones persistentes de diarrea viral bovina tipo 1 y tipo 2 en el feto cuando se administra a vacas o vaquillas por vía subcutánea entre los 30 y 60 días antes del servicio. Esta vacuna puede ser administrada a vacas gestantes o a becerros amamantados por vacas gestantes siempre y cuando las vacas hayan sido vacunadas antes del servicio, siguiendo las instrucciones de la etiqueta. Ver detalles en el prospecto.
Fórmula: Contiene virus vivos modificados de IBR y BVD tipos 1 y 2 y toxoide de *M. haemolytica* con el adyuvante Metastim[®] y neomicina, polimixina B y timerosal como agentes conservantes.
Dosis y administración: Ver el prospecto.
Precauciones: Almacenar en la oscuridad entre 35 - 45°F (2 - 7°C). Evitar la congelación. Utilizar todo el contenido una vez abierto. Un porcentaje pequeño de los animales puede manifestar una tumefacción leve y transitoria en el sitio de la inyección. No vacunar dentro de los 21 días anteriores al sacrificio. Incinerar el recipiente y todo el contenido no utilizado. En caso de reacción anafilactoide, administrar epinefrina.

Bovine Rhinotracheitis-
Virus Diarrhea Vaccine
Modified Live Virus
Mannheimia Haemolytica
Toxoid

PYRAMID® 3 +
Presponse® SQ

For Veterinary Use Only
10 Doses / Rehydrate to 20 mL

PYRAMID® 3 + Presponse® SQ

Boehringer
Ingelheim

This package contains one 10 dose vial of MLV vaccine and one 20 mL vial of diluent.
Indications: For vaccination of healthy dairy or beef cattle as an aid in the prevention of disease caused by infectious bovine rhinotracheitis virus and bovine virus diarrhea (types 1 and 2), and as an aid in the reduction of severity of pneumonic pasteurellosis caused by *Mannheimia haemolytica*. This product aids in the prevention of persistent BVD type 1 and type 2 infection of the fetal calf when it is used subcutaneously in the cow or heifer 30 to 60 days pre-breeding. This vaccine may be used in pregnant cows or calves nursing pregnant cows, provided the cows were vaccinated pre-breeding, according to label instructions. See insert for details.
Composition: Contains IBR and BVD types 1 and 2 modified live viruses, *M. haemolytica* toxoid, with Metastim[®] adjuvant, and neomycin, polymyxin B, and thimerosal as preservatives.
Dosage and administration: See insert.
Precautions: Store in the dark at 35 - 45°F (2 - 7°C). Avoid freezing. Use entire contents when first opened. A small percentage of animals may show transient, mild injection site swelling. Do not vaccinate within 21 days before slaughter. Burn container and all unused contents. In case of anaphylactoid reaction, administer epinephrine.
Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, MO 64506
US Vet. Lic. No. 124
Lic. Vet. de EE.UU. N° 124
Code 159-411



Pyramid[®] and Presponse[®] are registered trademarks of Boehringer Ingelheim Vetmedica, Inc. Metastim[®] is a trademark of Wyeth LLC. Used under license.



159401-01



Glue