


**Indications:** Alum precipitated, purified toxoid for vaccination against tetanus.

**Administration and Dosage:** Shake well before use. Administer subcutaneously or intramuscularly, using aseptic technique.  
Dosage: Horses, cattle and swine – 1 mL. Sheep – 0.5 mL. Repeat in 30 days. Revaccinate annually and prior to anticipated exposure.

Serial No.:

Exp. Date:



Boehringer Ingelheim  
Vetmedica, Inc.  
St. Joseph, MO 64506 U.S.A.  
U.S. Veterinary License No. 124  
Code 131-815; 31801-03



**Caution:** Store at 35-45°F (2-7°C). Protect from freezing. Use entire contents when first opened. Contains thimerosal as a preservative. Do not vaccinate within 21 days before slaughter. Anaphylactoid reactions may occur following use.

**Antidote:** Epinephrine.

**Precaution:** This product has been tested under laboratory conditions and shown to meet all Federal standards for safety and efficacy in normal healthy animals. This level of performance may be affected by conditions such as stress, weather, nutrition, disease, parasitism, other treatments, individual idiosyncrasies or impaired immunological competency. These factors should be considered by the user when evaluating product performance or freedom from reactions.



**Boehringer Ingelheim Vetmedica, Inc.**  
2621 North Belt Highway • St. Joseph, MO 64506-2002  
Information 800-325-9167 • Sales Service 800-325-9167 • Fax 816-236-2717  
[www.bi-vetmedica.com](http://www.bi-vetmedica.com)