

Boehringer
Ingelheim

Revision ... 2
Operator ... Ish
Date 13Feb14
Art# 161502-01
Item # 461501
SAP # 107313-002
Product TrichGuard

Type/Size..... Label / 50 Dose, 100 mL
Template # 289
Dimensions 2" x 5"
Corner Radius... .125"
PDF..... 13Feb14 Ish
Rev Level 01
MASTER.... 161501

BLACK

PMS 151

PMS 187

VARNISH

[Click here with mover tool to bring varnish plate to front](#)

Serial No.:
Exp. Date:



Indications: For vaccination of healthy cattle as an aid in the reduction of shedding of *Tritrichomonas foetus*.

Dosage and administration: Shake well before using. Inject one 2 mL dose subcutaneously under aseptic conditions. A second dose should be administered 2 to 4 weeks later. The last injection should precede the breeding season by 4 weeks. Revaccinate annually.

Precautions: Store in the dark at 35 - 45°F (2 - 7°C). Avoid freezing. Use entire contents

Trichomonas Foetus Vaccine

Killed Protozoa

TrichGuard®

50 Doses/100 mL

when first opened. Do not vaccinate within 60 days before slaughter. In case of anaphylactoid reaction, administer epinephrine.
Preservatives: Neomycin, polymyxin B, and thimerosal.

**Boehringer Ingelheim
Vetmedica, Inc.
St. Joseph, MO 64506
US Vet. Lic. No. 124**



**Boehringer
Ingelheim**

161502-01