

Exp. Date:
Serial No.:



Indications: Recommended for the vaccination of healthy, susceptible cattle against diseases caused by *Clostridium chauvoei*, *Cl. septicum*, *Cl. novyi*, *Cl. sordellii*, *Cl. perfringens* Types C & D and *Haemophilus somnus*. Although *Clostridium perfringens* Type B is not a significant problem in the U.S.A., immunity may be provided against the beta and epsilon toxins elaborated by *Clostridium perfringens* Type B. This immunity is derived from the combination of Type C (beta) and Type D (epsilon) fractions.

Composition: Prepared from cultures of the organisms listed. Alum precipitated.

Dosage: Using aseptic technique, inject 5 mL subcutaneously. Repeat in 21 to 28 days and once annually.

Clostridium Chauvoei- Septicum-Novyi-Sordellii Perfringens Types C & D- Haemophilus Somnus Bacterin-Toxoid

Bar-Vac® 7/Somnus

50 Doses/250 mL

Precautions: Store out of direct sunlight at a temperature between 35-45°F (2-7°C). Avoid freezing. Shake well before using. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Transient swelling at the injection site may occur. Anaphylactoid reactions may occur.

Antidote: Administer epinephrine.

Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, Missouri 64506 U.S.A.
U.S. Veterinary License No. 124

Code 118-721; 18702-03



**Boehringer
Ingelheim**

Boehringer Ingelheim Vetmedica, Inc.
2621 North Belt Highway • St. Joseph, MO 64506-2002
Information 800-821-7467 • Customer Service 800-325-9167 • Fax 816-236-2717