

Boehringer
Ingelheim



Bovikalc®
Oral Mineral Supplement
Calcium supplement for use in
freshening cows
4 x 6.7 oz (190 g) boluses



Bovikalc®
Oral Mineral Supplement
Not for human use – For animal use only
Calcium supplement for use in freshening cows
4 x 6.7 oz (190 g) boluses

Lot No.:
Exp. Date:

6011-6967

Storage:
Store in original packaging at or below 77°F
(25°C).

Manufactured in Denmark by:
Boehringer Ingelheim Danmark A/S
2100 Copenhagen O, Denmark
Manufactured for:
Boehringer Ingelheim Vetmedica, Inc.
St. Joseph, MO 64506 U.S.A.
Toll Free 1-866-638-2226

Bovikalc bolus gun - instruction for use



Place the bolus in the bolus applicator with the rounded end pointing forward.



If right handed: Place yourself at the cow's right side. Grab the cow's upper jaw with your left hand and raise its head. Keep the cow's head high and a little towards yourself.



Gently guide the Bovikalc applicator loaded with one Bovikalc bolus into the cow's mouth. When you feel resistance gently guide the applicator over the tongue.



When the Bovikalc applicator is as far back in the cow's mouth as possible press the handle to release the bolus. Remove the applicator.

Feeding Directions:

Boluses are given to the cow using a special Bovikalc bolus applicator.

Give one bolus of Bovikalc prior to or immediately after calving and a second bolus twelve hours later.

Actions:

The Bovikalc bolus will disintegrate quickly in the rumen. The calcium chloride is available immediately, while the calcium sulfate will provide sustained release of calcium.

Storage:
Store in original packaging at or below 77°F (25°C).

The Bovikalc boluses are sensitive to humidity and should be stored in the plastic tubes until immediately before use.

Caution:

Follow label instructions carefully. Incorrect use or handling may cause serious side effects.

User assumes risk of use or handling contrary to instructions, or under abnormal conditions or conditions not reasonably foreseeable.

Bovikalc should not be used for initial treatment of milk fever.

Do not use Bovikalc for cows lying down or showing signs of milk fever.

Do not use excessive force when giving the bolus to the cow.

Do not use bolus if broken.

Keep out of reach of children.

Guaranteed Analysis:

Calcium, minimum 21.4%
Calcium, maximum 24.6%
Each bolus of 190 g contains 43 grams of calcium

Ingredients:

Calcium chloride, Calcium sulfate, water, Non-glyceride ester of vegetable fatty acids, Xanthan gum.

Bovikalc®
Oral Mineral Supplement
Not for human use – For animal use only
Calcium supplement for use in freshening cows
4 x 6.7 oz (190 g) boluses



Do not use broken or damaged boluses.
Please note the caution on the packaging.