


Exp. Date:  
Serial No.:



**Indications:** For use in the prevention and control of pinkeye (infectious bovine keratoconjunctivitis) in healthy cattle caused by *Moraxella bovis*.

**Composition:** This product contains inactivated isolates of *Moraxella bovis*.

**Dosage:** Inject a single 2 mL dose subcutaneously to cattle 2 months of age or older, prior to the onset of pinkeye season. A 2 mL booster dose is recommended annually.

**Precautions:** Store at a temperature between 35–45°F

## Moraxella Bovis Bacterin

Ocu-guard® MB-1

Single dose  
50 Doses/100 mL

(2–7°C). Do not freeze. Shake well before and during use. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Anaphylactoid reactions may occur.

**Antidote:** Epinephrine.

**Boehringer Ingelheim  
Vetmedica, Inc.  
St. Joseph, MO 64506 U.S.A.  
U.S. Vet. Lic. No. 124**

Code 105-231



**Boehringer  
Ingelheim**

05202-06

**Boehringer Ingelheim Vetmedica, Inc.**

2621 North Belt Highway • St. Joseph, MO 64506-2002

Information 800-325-9167 • Sales Service 800-325-9167 • Fax 816-236-2717

[www.productionvalues.com](http://www.productionvalues.com)